


REC Temovex RT-250S-EC-RS

VENTILATION CONTROL:

Time control

Control factor: 0,95



A	Suppliers name	REC Temovex		
B	Suppliers model identifier	RT-250S-EC-RS		
C	Specific energy consumption	Climate zone	SEC	SEC class
		Cold	-71,7 kWh/m2a	A+
		Average	-36,3 kWh/m2a	A
		Warm	-13,4 kWh/m2a	E
D	Declared typology	Bidirectional		
E	Type of drive	Variable speed drive		
F	Type of heat recovery system	Recuperative (Counter-flow)		
G	Thermal efficiency	79%		
H	Maximum flow rate	250 m3/h		
I	Electrical power input	134 W		
J	Sound power level	32 dB		
K	Reference flow rate	0,048 m3/s		
L	Reference pressure difference	50 Pa		
M	SPI	0,21 W/(m3/h)		
N	Control factor	Clock control		
O	Maximum leakage	Internal 1,4%		
		External 2,3%		
P	Mixing rate	N / A		
Q	Visual filter warning	Red LED on hand control		
R	Grill installing instructions	N / A		
S	Disassembly instructions	www.rec-indovent.se		
T	Airflow sensitivity	N / A		
U	Air tightness	N / A		
V	Annual electricity consumption	Climate zone	Consumption	
		Cold	819 kWh/a	
		Average	282 kWh/a	
		Warm	237 kWh/a	
W	Annual heating saved	Climate zone	Heating saved	
		Cold	8343 kWh/a	
		Average	4265 kWh/a	
		Warm	1929 kWh/a	

Product information according to Commission Regulation (EU) no. 1253/2014 och 1254/2014



REC INDOVENT AB

Box 37, SE-431 21 Mölndal, Sweden

Besöksadress: Kärragatan 2 • Tel: +46 31 67 55 00 • Fax: +46 31 87 58 45

www.rec-indovent.se

INDOVENT


Experter på inneklimat i lågenergihus

REC Temovex RT-250S-EC-RS

VENTILATION CONTROL:

Central needs control

Control factor: 0,85



A	Suppliers name	REC Temovex		
B	Suppliers model identifier	RT-250S-EC-RS		
C	Specific energy consumption	Climat zone	SEC	SEC class
		Cold	-74,2 kWh/m2a	A+
		Average	-38,1 kWh/m2a	A
		Warm	-14,8 kWh/m2a	E
D	Declared typology	Bidirectional		
E	Type of drive	Variable speed drive		
F	Type of heat recovery system	Recuperativ (Counter-flow)		
G	Thermal efficiency	79%		
H	Maximum flow rate	250 m3/h		
I	Electrical power input	134 W		
J	Sound power level	32 dB		
K	Reference flow rate	0,048 m3/s		
L	Reference pressure difference	50 Pa		
M	SPI	0,21 W/(m3/h)		
N	Control factor	Central needs control		
O	Maximum leakage	Internal 1,4%		
		External 2,3%		
P	Mixing rate	N / A		
Q	Visual filter warning	Red LED on hand control		
R	Grill installing instructions	N / A		
S	Disassembly instructions	www.rec-indovent.se		
T	Airflow sensitivity	N / A		
U	Air tightness	N / A		
V	Annual electricity consumption	Climate zone	Consumption	
		Cold	772 kWh/a	
		Average	235 kWh/a	
		Warm	190 kWh/a	
W	Annual heating saved	Klimatzon	Heating saved	
		Cold	8474 kWh/a	
		Average	4332 kWh/a	
		Warm	1959 kWh/a	

Product information according to Commission Regulation (EU) no. 1253/2014 och 1254/2014



REC INDOVENT AB

Box 37, SE-431 21 Mölndal, Sweden

Besöksadress: Kärragatan 2 • Tel: +46 31 67 55 00 • Fax: +46 31 87 58 45

www.rec-indovent.se

INDOVENT


Experter på inneklimat i lågenergihus

REC Temovex RT-250S-EC-RS

VENTILATION CONTROL:

Local needs control

Control factor: 0,65



A	Suppliers name	REC Temovex		
B	Suppliers model identifier	RT-250S-EC-RS		
C	Specific energy consumption	Climate zone	SEC	SEC class
		Cold	-78,8 kWh/m2a	A+
		Average	-41,4 kWh/m2a	A
		Warm	-17,4 kWh/m2a	E
D	Declared typology	Bidirectional		
E	Type of drive	Variable speed drive		
F	Type of heat recovery system	Recuperativ (Counter-flow)		
G	Thermal efficiency	79%		
H	Maximum flow rate	250 m3/h		
I	Electrical power input	134 W		
J	Sound power level	32 dB		
K	Reference flow rate	0,048 m3/s		
L	Reference pressure difference	50 Pa		
M	SPI	0,21 W/(m3/h)		
N	Control factor	Local needs control		
O	Maximum leakage	Internal 1,4%		
		External 2,3%		
P	Mixing rate	N / A		
Q	Visual filter warning	Red LED on hand control		
R	Grill installing instructions	N / A		
S	Disassembly instructions	www.rec-indovent.se		
T	Airflow sensitivity	N / A		
U	Air tightness	N / A		
V	Annual electricity consumption	Climate zone	Consumption	
		Cold	693 kWh/a	
		Average	156 kWh/a	
		Warm	111 kWh/a	
W	Annual heating saved	Climate zone	Heating saved	
		Cold	8736 kWh/a	
		Average	4466 kWh/a	
		Warm	2019 kWh/a	

Product information according to Commission Regulation (EU) no. 1253/2014 och 1254/2014



REC INDOVENT AB

Box 37, SE-431 21 Mölndal, Sweden

Besöksadress: Kärragatan 2 • Tel: +46 31 67 55 00 • Fax: +46 31 87 58 45

www.rec-indovent.se

INDOVENT

Experter på inneklimat i lågenergihus